



SLIMLINE TOP KEEPS



EXAMPLE CODE: KSL-OS-00

Stainless steel keep & restraint strike to suit outward opening doors in a steel or timber frame.





EXAMPLE CODE: KSL-OT-01

Stainless steel keep & restraint strike to suit outward opening doors in a timber frame.





EXAMPLE CODE: KSL-OS-02

Stainless steel keep & restraint strike to suit outward opening doors in a narrow section steel frame.





EXAMPLE CODE: KSL-IS-00

Stainless steel keep to suit inward opening doors in a steel frame.






EXAMPLE CODE: KSL-IT-00

Stainless steel keep to suit inward opening doors in a timber frame.



EXAMPLE CODE: KSL-BS-00



Stainless steel keep to suit inward opening doors in a narrow section steel frame.



SLIMLINE CENTER KEEPS



EXAMPLE CODE: KSL-OS-01

Stainless steel keep to suit outward opening doors in a steel frame.





EXAMPLE CODE: KSL-OT-00

Stainless steel keep to suit outward opening doors in a timber frame.





EXAMPLE CODE: KSL-BS-00

Stainless steel keep to suit inward opening doors in a steel frame.






EXAMPLE CODE: KSL-IS-00

Stainless steel keep to suit inward opening doors in a steel frame.






EXAMPLE CODE: KSL-BB-01

Stainless steel keep to suit inward & outward opening double doors.





EXAMPLE CODE: KSL-BB-02

Stainless steel keep to suit inward & outward opening double doors with internal 'T' Astragal.





EXAMPLE CODE: KSL-IT-00

Stainless steel keep to suit inward opening doors in a timber frame.



EXAMPLE CODE: KSL-BS-00




Stainless steel keep to suit outward opening doors in a steel frame.



SLIMLINE FLOOR KEEPS



EXAMPLE CODE: KSL-FX-00

Stainless steel 'Dust-free' floor keep.





EXAMPLE CODE: KSL-FX-01

Stainless steel 'Easy-clean' floor keep.



EXAMPLE CODE: KSL-FX-02



Stainless steel 'Plate' floor keep.



SLIMLINE IRESTRAINT KEEPS



EXAMPLE CODE: KSL-OS-01-A07

Stainless steel keep & restraint strike to suit outward opening doors in a steel or timber frame.






EXAMPLE CODE: KSL-OT-01-A07

Stainless steel keep & restraint strike to suit outward opening doors in a timber frame.





EXAMPLE CODE: KSL-IS-00-A07

Stainless steel keep to suit inward opening doors in a steel frame.



EXAMPLE CODE: KSL-IT-00-A07

Stainless steel keep to suit inward opening doors in a timber frame.



SELF CODING SYSTEM

Surelock keeps have a simple ordering code, covering the opening method and door material type.

EXAMPLE ORDER CODE: KSL-BB-00

MODEL		OPENING DIRECTION		FRAME MATERIALS		VARIANTS	PACKING (OPTION B)	
KSL	Slimline	O	Outward	S	Steel	00-99	08	Load plate & packing; door to bolt 8mm (0.32in)
		I	Inward	T	Timber		12	Load plate & packing; door to bolt 12mm (0.47in)
		B	Bi-directional	B	Both		15	Load plate & packing; door to bolt 15mm (0.59in)
		S	Sliding	X	N/A		20	Load plate & packing; door to bolt 20mm (0.79in)
		F	Floor				25	Load plate & packing; door to bolt 25mm (0.98in)